### Peddinghaus

### **Band Saws**



### A Letter from the CEO



### Welcome to the World of Peddinghaus — The World of "BETTER".

In the world of Peddinghaus we aim to be better. Take a look at any of our 5,000+ installations throughout the globe. These fabricators experience reduced costs and higher production using our equipment. Why? Because with Peddinghaus they receive better technology, better service, and better quality than anyone else can provide. These things aren't easy to do, and not every company can guarantee what Peddinghaus does. I am proud that I can say these things because at Peddinghaus we work harder than anyone to give our customers the best. Whether they are located in Mexico City, Mumbai, or Melbourne; they all receive the very same service, spare parts, and support that is second to none.

### Welcome to Partnerships — From Software to Service to Sales.

At Peddinghaus we maintain strong partnerships with industry leaders to ensure your success. Whether this is our relationship with leading software providers (such as Shop Data Systems, Sigmanest, Steel Office, AceCad, Tekla, FabTrol, Design Data, and more) or our partnership with regional sales and support organizations – our goal is to work together to serve you better.

### Welcome to the Peddinghaus Line of Heavy Duty Structural Band Saws — More Than Just Machines.

To some, a band saw is just another step in production; a cutting device that merely separates pieces of steel. At Peddinghaus we recognize that every part of your production relies upon this machine to maintain efficiency. If not properly designed and integrated, a band saw can be the downfall of your system's efficiency. Out of date sawing technology, when combined with modern drill lines, coping machines or CNC layout marking equipment will choke the flow of material to equipment throughout production and hinder your bottom line profitability.

The Peddinghaus line of band saws plays an important role in keeping your shop running. Whether they are placed in tandem with a drill line, a CNC layout marking machine, or as a standalone sawing solution, these machines are built for speed and durability. I invite you to take a moment to learn what these machines have done for Peddinghaus customers in all corners of the world. I think you will be impressed with what you discover.

### Welcome to Peddinghaus Service — Unmatched Global Support.

At Peddinghaus service is priority number 1. Peddinghaus' global team of customer support representatives are on duty, on call, all the time at our very own 24-hour customer support center. Combined with state-of-the-art remote diagnostic software, readily available local field support professionals, and the industry leading warranty - customer support from Peddinghaus is only a call or a click away.

### Welcome to Peddinghaus — A Tradition of Innovation, a Reputation for Excellence.


My great-grandfather and grandfather perfected Ironworkers during their time with Peddinghaus; then it was my father's turn to pioneer the TDK drill line. In today's world I am proud that we at Peddinghaus continue to offer new solutions for customers like high speed band saws. This is only possible through constant innovation, and continuing investment in research and development. I invite you to see why Peddinghaus technology is the chosen provider for steel fabricators the world over.

Please visit www.peddinghaus.com for a "video test drive" and additional technical details on Peddinghaus band saws. Or, plan a visit to the Peddinghaus manufacturing campus at our headquarters in Bradley, IL USA. See the depth of our organization, and our commitment to your success with world class customer support.

lall. Iddin, hours



# DG-1250 Double Miter Band Saw





- Double miter capacity of 60° left and right, and 90° straight cuts
- 7° saw blade attack angle
- 10000 x 67 x 1.6 mm saw blade
- 14.5 kW drive motor



 Rugged twin column construction eliminates vibration and is critical for cut quality and blade life



- 97% air, 3% eco-friendly vegetable oil-based lubricant
- Eliminates water-based flood coolant mess
- No need to clean parts before painting or other fabrication processes

### Saw Specifications

Maximum 90° Cut Dimensions	1250 × 520 mm
Maximum 45° Cut Dimensions	800 × 520 mm
Maximum 30° Cut Dimensions	550 × 520 mm
Maximum 90° Round Dimensions	600 mm
Drive Motor	14.5 kW
Saw Blade	10000 x 67 x 1.6 mm
Machine Weight	6650 kg



- Reduce cut times and increase productivity with these features:
  - 1. Rapid advance blade approach
  - 2. Automatic material sensing
  - 3. Automatic cutting speed transition
  - 4. Feed compensation during cut
  - 5. End of cut sensing and automatic retract




- Rollers shift in accordance with the cutting head location, providing maximum support while cutting within the mitering range
- Material is lifted above the cutting surface eliminating dragging during material transport



- Laser reference provides precise cutting
- Ideal for scenarios where automatic cutting is unavailable

# DG-1100 Double Miter Band Saw





- Double miter capacity of 60° left and right, and 90° straight cuts
- 9300 x 54 x 1.6 mm saw blade
- 9 kW drive motor



- 97% air, 3% eco-friendly vegetable oil-based lubrican
  Eliminates water-based flood coolant mess
- No need to clean parts before painting or other fabrication processes



- Reduce cut times and increase productivity with these features:
  - 1. Rapid advance blade approach
  - 2. Automatic material sensing
  - 3. Automatic cutting speed transition
  - 4. Feed compensation during cut
  - 5. End of cut sensing and automatic retract



Rugged twin column construction eliminates vibration and is critical for cut quality and blade life



- Hydraulic clamping minimizes harmful vibration
- · Additional profile rigidity entering and exiting the cut
- Maintains maximum material clamping at all ranges of a miter cut




Steady pressure allows for consistent cutting

**BALLSCREW FEED SYSTEM** 

### Saw Specifications

Maximum 90° Cut Dimensions	1100 × 430 mm
Maximum 45° Cut Dimensions	700 × 430 mm
Maximum 60° Cut Dimensions	450 × 430 mm
Maximum 90° and 45° Round Dimensions	510 mm
Drive Motor	9 kW
Saw Blade	9300 x 54 x 1.6 mm
Machine Weight	5440 kg

# 1250-510 Straight Cut Band Saw





- Process 90° straight cuts on parts up to 1250 × 510 mm
- 9800 x 67 x 1.6 mm saw blade
- 14.5 kW drive motor



- · Laser reference provides precise cutting
- Ideal for scenarios where automatic cutting is unavailable



- Bundles such as square and round tube can be processed in a single stroke of the saw
- · Ideal for high volumes of identical material



· Ensures efficient removal of cutting byproduct



- Reduce cut times and increase productivity with these features:
  - 1. Rapid advance blade approach
  - 2. Automatic material sensing
  - 3. Automatic cutting speed transition
  - 4. Feed compensation during cut
  - 5. End of cut sensing and automatic retract

5	SPEED SAWING TECHNOLOGY	

### Saw Specifications

Maximum 90° Cut Dimensions	1250 × 510 mm
Maximum Round Dimensions	510 mm
Maximum Plate Dimensions	1250 × 75 mm
Drive Motor	14.5 kW
Saw Blade	9800 x 67 x 1.6 mm
Machine Weight	4650 kg



- 97% air, 3% eco-friendly vegetable oil-based lubrican
- Eliminates water-based flood coolant mess
- · No need to clean parts before painting or other fabrication processes



## **Modular Designs**

### The Peddinghaus Way

# Easily Integrate into an Existing Layout — Modular Design

The Peddinghaus Roller Feed material measurement system allows for an array of material handling options. Peddinghaus conveyors can be quickly expanded, split apart, transferred across from either side (datum or non datum) and modified with no sacrifice in machine accuracy or functionality.

#### **Tandem Solutions**

By placing a Peddinghaus band saw in tandem with a Peddinghaus CNC drill line, operators experience automatic measurement via Peddinghaus' Roller Feed technology. All parts are measured for tandem processing with the drills' measurement system, meaning only one operator is required for drilling and cutting operations. With less roller conveyor required, fabricators who utilize the tandem system save on overhead shop costs and initial capital investment.

#### MultMaster Measurement System

For a tandem installation where a band saw is positioned after a Peddinghaus CNC drill line, the system can be equipped with an optional MultMaster measurement system. The MultMaster works as an extension of the Roller Feed measurement system in order to perform cuts which may otherwise require manual positioning for programs with many small pieces. This accessory allows fast and simple material processing on a Peddinghaus drill and saw tandem system by automating the processing of short remnant sections.

### Accumeasure System

Saw measurement options are available via the Peddinghaus AccuMeasure Roller Feed measurement system. The AccuMeasure allows for complete handling versatility, while maintaining a streamlined CNC solution. Available for all Peddinghaus automatic band saws, the AccuMeasure is the ideal complement to a complete Peddinghaus system.











## Band Saw User Testimonials




"We needed efficient machines to help us keep up with demand. Peddinghaus machines are strong, low maintenance and effective machines for operation.

We used to have the drill and saw in tandem, which was working great. Our set-up with two band saws feeding into the BDL-1250 drill line allows us to process much more in the same or less time and keeps the drill busy.

We contribute part of our great success to our Peddinghaus machines. Without our Peddinghaus machines, we would not be able to operate as efficiently and put out as much work as we do now. We are very pleased with the quality of Peddinghaus machines, employees and service. We have so many [machines]; we are like a showroom for Peddinghaus!"

- Marco Calderón, Plant Manager



"Before we were just a regular, small to medium fabricator. Thanks to the Peddinghaus equipment we are now a fully automated service center. Due to our machines, we are capable of processing anything from 400 tons to 800 tons per month of steel while working 45 hours each week. This range is large because we will sometimes do very light work with lots of intricate hole patterns or special processes, and in other scenarios we will process lots of heavy sections with more basic hole patterns. It all depends on what our customers need, but Peddinghaus gives us the ability to process whatever comes our way."

- Lourisvaldo Peracini, Founder



"The Advantage-2 drill line in tandem with the DG-1250 band saw is important to Betterect. This makes Betterect much more competitive in the market because we can produce more tonnage."

- David Jordan, Technical Director

"To date, the Peddinghaus machines have significantly reduced production turnaround times and have enabled us to fabricate larger tonnages than before; the equipment has definitely given us a competitive edge in the structural steel arena and has allowed us to take on more jobs in this line of work.

From the start of the process, we were highly impressed with Peddinghaus' cutting edge technology, commitment to innovation and capabilities of the equipment. The Peddinghaus team is friendly, reliable and always willing to go the extra mile."

- Martin Zechner, Founder/Managing Director



## The Best Support in the Industry

Peddinghaus strives to provide an unparalleled level of service for industry partners, no matter where in the world they are located. This is done by offering the only 24-hour technical support center in the industry and employing an expansive team of field service technicians throughout the globe.

### 24-Hour Technical Support Center

Located in Bradley, Illinois – USA, Peddinghaus maintains a 24-hour technical support center to assist customers with any questions or concerns that may arise in the operation of Peddinghaus machinery. Service technicians leverage remote diagnostic software as well as web cameras in order to troubleshoot questions. Over 95% of telephone calls are resolved without the need for an on-site visit from a Peddinghaus technician.

#### Global Access to Spare Parts

Peddinghaus maintains vast amounts of spare parts at their North American locations and are in close proximity to major ports and shipping hubs. For international partners, local spare parts storage is maintained at our sales and service offices around the globe. In addition, local dealer representatives and dedicated parts storage facilities have been established throughout the world to expedite part shipments. This means faster delivery of parts when they are needed.

### **Expansive Team of Field Service Technicians**

For advanced issues, over 50 field service technicians are employed by Peddinghaus throughout the world. Technicians are conveniently located geographically and may be based out of an office near your installation. These technicians operate globally and are available for on-site assistance.

### World Class Training for Maintenance Staff, Operators and Programmers

Peddinghaus offers training on-site, over the internet and at their corporate headquarters for maintenance staff, operators and programmers. Training at Peddinghaus' global headquarters is free of charge for those willing to make the trip and provides staff with direct access to the masters behind the machinery.







